



SAFETY DATA SHEET POWERSHOWER

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME POWERSHOWER

SUPPLIER Chemaide
Gillmans Industrial Estate
Billinghamurst
West Sussex
RH14 9EZ
UK
T: +44(0)1403 784332
(Hours 09:00 - 17:00 Mon to Fri)
F: +44(0) 1403 785158
sds@chemaide.co.uk

2 HAZARDS IDENTIFICATION

Irritating to eyes.

CLASSIFICATION Xi;R36.

HUMAN HEALTH

Under normal or reasonably foreseeable conditions of use, product made to this formulation is unlikely to produce an abnormally high number of adverse reactions. The product will give users the level of safety they can reasonably expect

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
COCONUT DIETHANOLAMIDE	232-483-0	8051-30-7	5-10%	Xi;R36/38.
SODIUM LAURYL ETHER SULPHATE (VEGETABLE BASED)		68585-34-2	10-30%	Xi;R36,R38.

The Full Text for all R-Phrases are Displayed in Section 16

4 FIRST-AID MEASURES

INHALATION

Unlikely route of exposure as the product does not contain volatile substances.

INGESTION

DO NOT INDUCE VOMITING! Immediately rinse mouth and drink plenty of water (200-300 ml).

SKIN CONTACT

The formulation as supplied may cause skin irritation if exposure is prolonged and /or repeated. However, under normal conditions of use exposure time will be short and the likelihood of causing skin irritation will be very low. Contact with the dilute solution is unlikely to cause skin irritation even if contact is prolonged and/ or repeated In the event of irritation rinse with water and contact the physican if irritation continues.

EYE CONTACT

Avoid contact with eyes.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Use fire-extinguishing media appropriate for surrounding materials.

UNUSUAL FIRE & EXPLOSION HAZARDS

Burning produces irritating, toxic and obnoxious fumes.

PROTECTIVE MEASURES IN FIRE

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

6 ACCIDENTAL RELEASE MEASURES

POWERSHOWER

SPILL CLEAN UP METHODS

Flush away small spillages with plenty of water.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Avoid contact with eyes. Ensure adequate ventilation of the working area.

STORAGE PRECAUTIONS

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep containers tightly closed.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

INGREDIENT COMMENTS

WEL = Workplace Exposure Limits

EYE PROTECTION

Not required under normal conditions of use. Avoid splashes and contact with eyes.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Liquid		
COLOUR	Green		
ODOUR	Pleasant, agreeable.		
SOLUBILITY	Miscible with water.		
BOILING POINT (°C)	100	RELATIVE DENSITY	1.06
pH-VALUE, CONC. SOLUTION	5.5-8	FLASH POINT (°C)	100

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions.

MATERIALS TO AVOID

Oxidising agents

11 TOXICOLOGICAL INFORMATION

TOXIC DOSE 1 - LD 50 5050 mg/kg (oral rat)

TOXICOLOGICAL INFORMATION

Low oral toxicity.

12 ECOLOGICAL INFORMATION

DEGRADABILITY

The product is biodegradable.

13 DISPOSAL CONSIDERATIONS

GENERAL INFORMATION

Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority.

DISPOSAL METHODS

Empty containers can be sent to landfill after cleaning, if compliance with local and national regulations.

14 TRANSPORT INFORMATION

GENERAL

This product is exempt from international regulation on the transport of dangerous goods (IMDG, IATA DG regulations, ADR/RID).

15 REGULATORY INFORMATION

LABELLING

POWERSHOWER



Irritant

RISK PHRASES

R36 Irritating to eyes.

16 OTHER INFORMATION

INFORMATION SOURCES

Product's toxicological assessment. EU Directive 76/768/EEC

REVISION DATE 27/07/2009

REV. NO./REPL. SDS GENERATED 1

SDS NO. 10156

RISK PHRASES IN FULL

R36 Irritating to eyes.

R36/38 Irritating to eyes and skin.

R38 Irritating to skin.

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.